





VISIT...

LANZAROTE
Caliente.COM



SECTION B-B
MAGAZINE LOCKED BY MAGAZINE CATCH



PART OLD TRACING E269 UNDER REVISION DATE OF JAN 13, 1936


PISTOL, AUTOMATIC CAL. 45 M1A1 SECTIONAL VIEWS			
JAN 13, 1936	CLASS	DIVISION	DRAWING FILE
REVISIONS	42	8	32
SYMBOL			
VYP2			
OFFSHAN TRACER			
42-8 88-8 88-8 88-8			
ORG PERTAINS TO			
42-8	88-8	88-8	88-8
SUBMITTED			
EXAMINED			
W. W. W. W.			
APPROVED BY ORDER OF THE			
CHIEF OF BUREAU			
ORANGE/DEPT USA			

TO BE FILLER ATTACHED TO FINISH

STANDARD FOR ALL MANUFACTURERS

PHYSICAL PROPERTIES		MAY 1936	
YD	REV	REV	REV
1	1-15-36		
2	1-27-36		
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			

THIS PERTAINS TO
RECEIVED
DISTRIBUTION
RECEIVED



NUMBER OF PISTOL

STANDARD FOR ALL MANUFACTURERS


MARKINGS, RECEIVER

INSPECTOR'S INITIALS

TOLERANCE NOT ALLOWED ON ALL DIMENSIONS, UNLESS OTHERWISE SPECIFIED
SUPERSEDES OLD TRACING C3843 UNDER REVISION DATE OF JAN 15, 1936

SCALE 2" C3843

SYSTEM	
MAM-6	
DESIGNED BY	DATE
ELV 1005	1-15-36
CHECKED BY	DATE
ELV 1005	1-27-36
APPROVED BY CHIEF OF THE SHOP OF ORDNANCE	
1-15-36, 1-27-36, U.S.A. ORDNANCE DEPT. U.S.A.	



TOLERANCE ± 0.1 ALLOWED ON ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED.
SUPERSEDES OLD TRACING D35359 UNDER REVISION DATE OF MARCH 1, 1939


PHYSICAL PROPERTIES

MAY 1, 1926
Pittsburg, Pa.

Y.P.	14	8-10-42	20	15-44
T.S.	15	3-10-43	20	5-22-45
IL. 2	16	4-26-43		
RED.	17	6-0-43		
	18	7-23-43		
BR.	19	11-27-43		
	20	2-30-43		
ROCK	21	6-15-44		

TEMPERATURE CERTAINS TO

42-8 45 AP MICH



TOLERANCE $\pm .01$ ALLOWED ON ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED.

SUPERSEDES OLD TRACING C3838 UNDER REVISION DATE OF AUGUST 10, 1942.

BARREL

FINISH 3

RIFLING - 16 INCH LEAD L.H.
6 GROOVES
SCALE 4

SPRINGFIELD ARMCRY

C-38.38

ORNG. ORNG. E.C.P.

MEX *No.* *Court District* *+N*

SUBMITTED

E. M. Thompson

PRIN ORD ORNG ORG DEPT

APR - 1964



CHIEF OF THE BUREAU

H. J. ...

ORG. ORNG. DEPT

ORDNANCE DEPT. U.S.A.

HEAT TREATMENT & FINAL FINISH



SECTION B-B

SECTION A-A

NOTES: - FOR DIMENSIONS SEE DRG. OF WOOD STOCK.
INSIDE RECESSES MAY VARY SUBJECT TO
APPROVAL OF CONTRACTING OFFICER.



STOCK RIGHT HAND PLASTIC C64062-11

TOLERANCE $\pm .01$ ALLOWED ON ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED
SUPERSEDES OLD TRACING C64062 UNDER REVISION DATE OF SEPT. 5, 1942

PHYSICAL PROPERTIES	JAN. 15, 1936
Y. P.	110 4-5 42
T. B.	117 9-6 44
EL. 2	
RPO.	
BA.	
WOCK.	

O'RG PERTAINS TO

A2-B 45APM11A1



ENLARGED VIEW OF DIAMOND CHECK
SCALE 1/4

STOCK RIGHT HAND WOOD

C64062-11

OPTIONAL
CHECKING MAY BE HOT PRESSED
SCALE 1/4

SPRINGFIELD ARMORY

SCALE 1/4

C-64062

DESIGNED	BY	DATE
11/15	11/15	11/15
CHECKED	BY	DATE
9708	11/15	11/15
SUBMITTED	BY	DATE
11/15	11/15	11/15
APPROVED BY ORDER OF THE CHIEF OF ORDNANCE	BY	DATE
11/15	11/15	11/15
ORDNANCE DEPT. U. S. A.		

